

MEASLES-RUBELLA




World Health Organization
Western Pacific Region

Volume 19 • Issue 12 • December 2025

ISSN 1814 3601

Bulletin

Figure 1. Incidence rate of measles cases with rash onset 1-30 November 2025, WHO Western Pacific Region



Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 December 2025

Table 1. Status of measles elimination and numbers of confirmed¹ and total² measles cases by month of rash onset, September–November 2025, WHO Western Pacific Region

Country/area ³	Year elimination verified	September 2025		October 2025		November 2025		Cumulative total for 2025 ⁴	
		No. of confirmed	Total no. of cases	No. of confirmed	Total no. of cases	No. of confirmed	Total no. of cases	No. of confirmed	Total no. of cases
Australia ⁵	2014	30	30	14	14	12	12	160	160
Brunei Darussalam	2015	0	0	0	0	0	0	0	0
China, Hong Kong SAR	2016	0	0	0	0	0	0	8	8
China, Macao SAR	2014	0	0	0	0	0	0	0	0
Japan	2015	5	5	3	3	21	21	253	253
New Zealand	2017	5	5	19	21	5	5	39	41
Republic of Korea	2014	3	3	3	3	1	1	77	77
Singapore	2018	0	0	4	4	2	2	21	21
Pacific island countries and areas	2025	0	0	0	0	0	0	0	0
Cambodia ⁶	-	-	-	-	-	-	-	4 232	4 232
China	-	26	39	37	51	48	60	1 646	1 686
Indonesia	-	2890	2890	2406	2406	526	526	17 204	17 204
Lao People's Democratic Republic	-	533	533	450	450	555	555	3 171	3 183
Malaysia	-	87	103	39	48	24	31	666	893
Mongolia ⁷	-	90	90	111	111	105	105	13 120	13 120
Papua New Guinea	-	0	0	0	0	0	0	0	0
Philippines	-	102	532	17	192	-	-	1 249	4 221
Viet Nam ⁸	-	-	-	-	-	-	-	144	151
Western Pacific Region	-	3771	4230	3103	3303	1299	1318	41 990	45 250

¹ No. of confirmed cases includes laboratory confirmed and epi-linked cases

² Total no. of cases includes confirmed cases and clinically compatible cases

³ Within this bulletin, countries are grouped by measles elimination status and listed in an alphabetical order within each group (in Table 5, countries are grouped by rubella elimination status).

⁴ May include cases with unknown month of rash onset and/or partial data for the most recent month

⁵ Reports confirmed cases only


⁶ Classification for 2025 remains provisional and is based solely on laboratory data available to VDI/WPRO. According to the latest VPD Surveillance Bulletin, as of 26 December 2025, a total of 4 602 confirmed measles cases were reported between 1 January and 26 December 2025.

⁷ Reports from Mongolia are based on the latest data available to VDI/WPRO. As per the Measles Situation Report as of 20 November 2025, a total of 13,648 measles cases have been recorded in 2025.

⁸ Reports from Viet Nam are based on the latest data available to VDI/WPRO. According to the [Ministry of Health Portal](#) as of 25 April 2025, a total of 81,691 suspected cases were recorded in 2025.

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 December 2025

Figure 2. Total (confirmed and compatible) measles cases by month of rash onset, WHO Western Pacific Region, 2020–2025



Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 December 2025

¹Indonesia was incorporated into the Western Pacific Region reporting framework in 2025. Data from earlier years are not included in this bulletin.

Table 2. Number of confirmed measles cases by source of infection, WHO Western Pacific Region, 2024-2025

Country/Area	2024						2025					
	No. of confirmed cases	Source of infection				% of cases with known source of infection	No. of confirmed cases	Source of infection				% of cases with known source of infection
		Imported	Import-related	Endemic	Unknown/ not reported			Imported	Import-related	Endemic	Unknown/ not reported	
Australia	57	36	19	0	0	96.5%	160	71	52	0	37	76.9%
Brunei Darussalam	0	0	0	0	0	-	0	-	-	-	-	-
China, Hong Kong SAR	9	6	0	0	3	66.7%	8	2	0	0	6	25.0%
China, Macao SAR	0	0	0	0	0	-	0	-	-	-	-	-
Japan	42	12	18	0	12	71.4%	253	86	79	10	78	69.2%
New Zealand	1	1	0	0	0	100.0%	39	5	9	0	25	35.9%
Republic of Korea	49	18	31	0	0	100.0%	77	54	23	0	0	100.0%
Singapore	12	4	0	0	8	33.3%	21	12	3	0	6	71.4%
Pacific island countries and areas	0	-	-	-	-	-	0	-	-	-	-	-
Cambodia ¹	666	0	0	0	666	0.0%	4 232	0	0	0	4 232	0.0%
China	1 241	0	0	0	1 241	0.0%	1 646	0	0	0	1 646	0.0%
Indonesia	-	-	-	-	-	-	17 204	0	0	0	17 204	0.0%
Lao People's Democratic Republic	1	0	0	0	1	0.0%	3 171	0	0	0	3 171	0.0%
Malaysia	3 456	3	0	3 127	326	90.6%	666	10	0	512	144	78.4%
Mongolia ²	12	0	0	0	12	0.0%	13 120	0	0	0	13 120	0.0%
Papua New Guinea	0	0	0	0	0	-	0	-	-	-	-	-
Philippines	670	11	0	109	550	17.9%	1 249	1	0	240	1 008	19.3%
Viet Nam ³	1 916	0	0	0	1 916	0.0%	144	0	0	0	144	0.0%
Western Pacific Region	8 132	91	68	3 236	4 735	41.7%	41 990	241	166	762	40 821	2.8%

Classification for 2025 remains provisional and is based solely on laboratory data available to VDI/WPRO. According to the latest VPD Surveillance Bulletin, as of 26 December 2025, a total of 4 602 confirmed measles cases were reported between 1 January and 26 December 2025.

² Reports from Mongolia are based on the latest data available to VDI/WPRO. As per the Measles Situation Report as of 20 November 2025, a total of 13,648 measles cases have been recorded in 2025.

³ Reports from Viet Nam are based on the latest data available to VDI/WPRO. According to the [Ministry of Health Portal](#) as of 25 April 2025, a total of 81,691 suspected cases were recorded in 2025.

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 December 2025

Blue	No measles cases
Green	$\geq 80\%$
Yellow	60–79%
Red	$< 60\%$

Table 3. Measles case classification and incidence by country and area, WHO Western Pacific Region, 2021–2025

Country/area	2021		2022		2023		2024		2025										
	Total confirmed and clinically compatible ¹	Measles incidence per 1 million pop	Total confirmed and clinically compatible ¹	Measles incidence per 1 million pop	Total confirmed and clinically compatible ¹	Measles incidence per 1 million pop	Total confirmed and clinically compatible ¹	Measles incidence per 1 million pop	Population (in millions) ²	Suspected measles cases	Pending classification	Discarded cases ³	Measles cases					Deaths due to measles	Rash onset of last confirmed measles case
													Clinically compatible	Lab	Epi-linked	Total confirmed and clinically compatible ¹	Annualized measles incidence per 1 million pop		
Australia ³	0	0.0	7	0.3	26	1.0	57	2.1	26.9	NA ³	0	0	0	160	0	160	6.5	0	22-Nov-25
Brunei Darussalam	0	0.0	0	0.0	1	2.2	0	0.0	0.5	27	0	27	0	0	0	0	0.0	0	28-Dec-23
China, Hong Kong SAR	1	0.1	3	0.4	4	0.5	9	1.2	7.8	13	0	5	0	8	0	8	1.1	0	30-Jun-25
China, Macao SAR	0	0.0	0	0.0	0	0.0	0	0.0	0.7	17	0	17	0	0	0	0	0.0	0	6-May-19
Japan	6	0.0	5	0.0	28	0.2	42	0.3	124.0	1 687	9	1 425	0	253	0	253	2.2	0	28-Nov-25
New Zealand	0	0.0	0	0.0	14	2.7	1	0.2	5.0	829	8	780	2	26	13	41	8.9	0	26-Nov-25
Republic of Korea	0	0.0	1	0.0	7	0.1	49	1.0	51.3	1 010	0	933	0	77	0	77	1.6	0	1-Nov-25
Singapore	1	0.2	6	1.0	11	1.8	12	2.0	6.1	43	0	22	0	21	0	21	3.8	0	25-Nov-25
Pacific island countries and areas	0	0.0	0	0.0	0	0.0	0	0.0	3.6	165	0	165	0	0	0	0	0.0	0	5-Mar-20
Cambodia ⁴	5	0.3	13	0.8	11	0.7	666	37.8	17.8	8 568	3 652	684	0	4 232	0	4 232	259.3	0	18-Apr-25
China	554	0.4	562	0.4	648	0.5	1 272	0.9	1457.9	38 187	655	35 846	40	1 644	2	1 686	1.3	0	30-Nov-25
Indonesia	-	-	-	-	-	-	-	-	285.7	55 988	2,942	35 842	0	17 204	0	17 204	65.7	0	29-Nov-25
Lao People's Democratic Republic	2	0.3	0	0.0	2	0.3	1	0.1	7.8	3 906	36	687	12	309	2 862	3 183	446.6	4	30-Nov-25
Malaysia	128	3.8	209	6.2	2 002	58.7	3 753	110.5	34.3	8 735	330	7 512	227	597	69	893	28.4	0	28-Nov-25
Mongolia ⁵	0	0.0	0	0.0	0	0.0	12	3.5	3.5	13 208	0	88	0	4 334	8 786	13 120	4073.2	11	28-Nov-25
Papua New Guinea	0	0.0	0	0.0	12	1.2	0	0.0	9.8	17	0	17	0	0	0	0	0.0	0	30-Jun-23
Philippines	218	1.9	589	5.1	2 887	24.8	4 003	34.7	116.8	6 820	0	2 599	2 972	1 249	0	4 221	39.4	4	7-Oct-25
Viet Nam ⁶	163	1.7	27	0.3	103	1.0	2 109	21.0	101.1	1 617	1 439	27	7	144	0	151	1.6	1	7-Feb-25
Western Pacific Region	1 078	0.6	1 422	0.7	5 756	3.0	11 986	6.1	1974.9	140 837	9 071	86 676	3 260	30 258	11 732	45 250	21.8	20	

¹ Includes clinically compatible, laboratory confirmed and epi-linked cases

² United Nations, Department of Economic and Social Affairs, Population Division World Population Prospects 2022 revision

³ Australia reports confirmed cases only

⁴ Classification for 2025 remains provisional and is based solely on laboratory data available to VDI/WPRO. According to the latest VPD Surveillance Bulletin, as of 26 December 2025, a total of 4 602 confirmed measles cases were reported between 1 January and 26 December 2025.

⁵ Reports from Mongolia are based on the latest data available to VDI/WPRO. As per the Measles Situation Report as of 20 November 2025, a total of 13,648 measles cases have been recorded in 2025.

⁶ Reports from Viet Nam are based on the latest data available to VDI/WPRO. According to the [Ministry of Health Portal](#) as of 25 April 2025, a total of 81,691 suspected cases were recorded in 2025.

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 December 2025

Green	<1.0 confirmed measles cases / 1 000 000 population
Yellow	1.0–9.9 confirmed measles cases / 1 000 000 population
Red	10.0–19.9 confirmed measles cases / 1 000 000 population
Dark red	>= 20.0 confirmed measles cases / 1 000 000 population

Table 4. Measles surveillance performance indicators by country and area, WHO Western Pacific Region, 2024–2025

Country/Area	2024				2025			
	Discarded non-measles rate per 100 000 pop	Second level units with ≥ 2 discarded cases per 100 000 pop [annualized] ¹	Suspected cases with adequate investigation	Suspected cases with adequate specimens for laboratory confirmation ²	Annualized discarded non-measles rate per 100 000 pop	Second level units with ≥ 2 discarded cases per 100 000 pop [annualized] ¹	Suspected cases with adequate investigation	Suspected cases with adequate specimens for laboratory confirmation ²
	≥ 2	≥ 80%	≥ 80%	≥ 80%	≥ 2	≥ 80%	≥ 80%	≥ 80%
Australia ³	Insufficient data	Insufficient data	Insufficient data	Insufficient data	Insufficient data	Insufficient data	Insufficient data	Insufficient data
Brunei Darussalam	4.4	Not applicable	100.0%	95.0%	6.5	Not applicable	100.0%	96.3%
China, Hong Kong SAR	0.3	Not applicable	87.9%	87.9%	0.1	Not applicable	92.3%	92.3%
China, Macao SAR	3.5	Not applicable	95.8%	100.0%	2.7	Not applicable	100.0%	100.0%
Japan	0.6	0.0%	Insufficient data	Insufficient data	1.3	10.6%	Insufficient data	Insufficient data
New Zealand	4.7	65.0%	Insufficient data	Insufficient data	17.0	100.0%	Insufficient data	Insufficient data
Republic of Korea	0.9	11.8%	96.9%	95.1%	2.0	29.4%	99.3%	95.6%
Singapore	0.3	Not applicable	92.9%	85.7%	0.4	Not applicable	88.4%	81.4%
Pacific island countries and areas ⁴	6.8	10.0%	90.2%	93.9%	5.0	5.0%	95.8%	95.2%
Cambodia	8.9	88.0%	93.2%	98.3%	4.2	72.0%	96.6%	99.1%
China	2.6	93.5%	99.5%	98.6%	2.7	96.8%	99.5%	98.8%
Indonesia	Not applicable	Not applicable	Not applicable	Not applicable	13.7	81.6%	Insufficient data	43.4%
Lao People's Democratic Republic	4.3	44.4%	6.6%	6.6%	9.6	27.8%	7.8%	11.4%
Malaysia	28.2	100.0%	89.4%	98.1%	23.9	100.0%	91.5%	98.3%
Mongolia	6.2	54.5%	94.7%	98.2%	2.7	18.2%	8.7%	8.8%
Papua New Guinea	0.5	10.0%	Insufficient data	Insufficient data	0.2	0.0%	17.6%	70.6%
Philippines	2.4	44.4%	52.5%	55.6%	2.4	44.4%	54.9%	59.4%
Viet Nam	0.7	15.9%	Insufficient data	49.2%	0.0	1.6%	6.1%	49.7%
Western Pacific Region	2.8	38.9%	80.2%	87.2%	4.2	42.5%	46.3%	66.3%

¹ This indicator is not applicable for countries which have no second-level administrative units

² Adequate specimen defined as blood specimen collected within 28 days of rash onset or other specimen (throat swab, nasopharyngeal swab, cerebrospinal fluid, urine) collected within 5 days of rash onset; excludes epidemiologically-linked cases

³ Reports only confirmed cases

⁴ Surveillance performance indicators refer to all the Pacific island countries and areas as one epidemiological bloc; each country is considered as second level unit

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 December 2025

Green	Reached or surpassed target
Yellow	Nearly reached target: 1.0–1.9 for non-measles suspected case rate; 60.0–79.9% for other indicators
Red	Substantially below target

Table 5. Status of rubella elimination and rubella case classification and incidence by country and area, WHO Western Pacific Region, 2021–2025

Country/area	Year elimination verified	2021		2022		2023		2024		2025								
		Total confirmed and clinically compatible ¹	Rubella incidence per 1 million pop	Total confirmed and clinically compatible ¹	Rubella incidence per 1 million pop	Total confirmed and clinically compatible ¹	Rubella incidence per 1 million pop	Total confirmed and clinically compatible ¹	Rubella incidence per 1 million pop	Population (in millions) ²	Investigated for rubella	Pending classification	Discarded cases ³	Rubella cases				
														Clinically compatible	Lab	Epi-linked	Total confirmed and clinically compatible ¹	Annualized rubella incidence per 1 million pop
Australia ³	2018	-	-	-	-	-	-	-	-	26.9	-	-	-	-	-	-	-	-
Brunei Darussalam	2018	0	0.0	0	0.0	0	0.0	0	0.0	0.5	27	0	27	0	0	0	0	0.0
China, Hong Kong SAR	2021	2	0.3	1	0.1	1	0.1	0	0.0	7.8	5	0	4	0	1	0	1	0.1
China, Macao SAR	2018	0	0.0	0	0.0	0	0.0	0	0.0	0.7	17	0	17	0	0	0	0	0.0
Japan	2025	11	0.1	15	0.1	12	0.1	8	0.1	124.0	473	4	455	3	11	0	14	0.1
New Zealand	2017	0	0.0	-	-	-	-	-	-	5.0	0	-	-	-	-	-	-	-
Republic of Korea	2017	0	0.0	0	0.0	0	0.0	0	0.0	51.3	1 017	0	1 017	0	0	0	0	0.0
Singapore	2022	0	0.0	7	1.2	3	0.5	1	0.2	6.1	6	0	6	0	0	0	0	0.0
Pacific island countries and areas	2025	4	1.2	0	0.0	0	0.0	0	0.0	3.6	165	0	165	0	0	0	0	0.0
Cambodia	-	10	0.6	18	1.1	21	1.2	11	0.6	17.8	1 783	0	1 773	0	10	0	10	0.6
China	-	845	0.6	824	0.6	540	0.4	367	0.3	1 457.9	38 187	655	37 170	66	296	0	362	0.3
Indonesia	-	-	-	-	-	-	-	-	-	285.7	55 988	2 942	51 940	0	1 106	0	1 106	4.2
Lao People's Democratic Republic	-	3	0.4	0	0.0	1	0.1	1	0.1	7.8	3 891	23	3 848	0	19	1	20	2.8
Malaysia	-	97	2.9	89	2.6	74	2.2	84	2.5	34.3	8 840	330	8 427	0	83	0	83	2.6
Mongolia	-	0	0.0	1	0.3	1	0.3	0	0.0	3.5	13 197	0	13 197	0	0	0	0	0.0
Papua New Guinea	-	0	0.0	3	0.3	2	0.2	0	0.0	9.8	0	-	-	-	-	-	-	-
Philippines	-	36	0.3	55	0.5	96	0.8	54	0.5	116.8	6 820	0	6 712	0	108	0	108	1.0
Viet Nam	-	38	0.4	29	0.3	56	0.6	55	0.5	101.1	82	1	81	0	0	0	0	0.0
Western Pacific Region	-	1 046	0.5	1 042	0.5	807	0.4	626	0.3	1 974.9	130 498	3 955	124 839	69	1 634	1	1 704	0.8

¹ Includes clinically compatible, laboratory confirmed and epi-linked confirmed cases

² United Nations, Department of Economic and Social Affairs, Population Division World Population Prospects 2022 revision

Source: National measles and rubella monthly reports to the Western Pacific Regional Office by 20 December 2025

Green	<1.0 confirmed rubella cases / 1 000 000 population
Yellow	1.0–9.9 confirmed rubella cases / 1 000 000 population
Red	>= 10.0 confirmed rubella cases / 1 000 000 population
Gray	No data

Table 6. Measles and rubella laboratory testing, WHO Western Pacific Region, 2025

Country/Area	Laboratory	Measles and rubella			Measles													Rubella				
					Serology								Virus detection					No. of cases with positive laboratory results ²	Serum and blood (includes DBS)			
		Total number of samples received	Total number of samples tested	Total number of cases tested	Samples tested for measles IgM	Measles IgM (+)		Measles IgM equiv		Blood		% of samples with results ≤4 days ¹	Measles Virus isolation/ detection (swab, urine and others)		Measles Reverse Transcription- Polymerase Chain Reaction		Samples tested for rubella IgM		Rubella IgM (+)		Rubella IgM equiv	
						No.	No.	%	No.	%	No. received		No. (+)	No. of samples tested	No. of isolates	No. of samples tested			No. (+)	No.	No.	%
Australia	VIDRL	85	85	64	16	12	75%	0	0%	0	-	100%	12	5	69	67	60	0	-	-	-	-
Brunei Darussalam	DLS	29	29	28	28	0	0%	0	0%	0	-	100%	0	-	0	-	0	28	1	4%	0	0%
China, Hong Kong SAR	PHLC	465	465	316	243	8	3%	0	0%	0	-	97%	0	-	193	17	19	110	1	1%	1	1%
China, Macao SAR	PHL	69	69	66	66	0	0%	1	2%	0	-	98%	0	-	7	0	0	66	1	2%	0	0%
Japan	NIID	2 900	2 704	1 616	270	64	24%	85	31%	0	-	-	12	12	1 369	241	255	54	12	22%	31	57%
New Zealand	CHL	223	223	220	6	1	17%	0	0%	0	-	80%	0	-	217	31	32	5	0	0%	0	0%
Republic of Korea	KCDC	1 502	1 502	1 045	395	64	16%	14	4%	0	-	99%	0	-	1 026	96	121	133	37	28%	3	2%
Singapore	NPHL	56	56	53	8	6	75%	0	0%	0	-	100%	13	2	54	22	28	8	1	13%	0	0%
Fiji	Fiji CDC	178	178	178	121	11	9%	2	2%	0	-	-	0	-	16	0	11	110	8	7%	0	0%
Cambodia	NIPH	8 017	8 017	8 017	8 017	4 232	53%	0	0%	0	0	98%	0	-	0	-	4 232	7 898	68	1%	0	0%
China	CCDC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Indonesia	-	39 870	39 870	39 870	39 161	10 638	27%	761	2%	0	-	81%	0	-	0	-	10 638	28 881	756	3%	168	1%
Lao People's Democratic Republic	NCLE	569	569	569	569	320	56%	18	3%	-	-	94%	0	-	0	-	320	569	19	3%	11	2%
Malaysia	NPHL	17 237	17 237	9 097	9 645	1 248	13%	265	3%	0	-	99%	14	2	10 224	219	1 273	8 960	384	4%	27	0%
Mongolia	NCCD	2 297	2 297	2 297	2 297	1 920	84%	12	1%	0	-	100%	0	-	3 577	3 519	3 824	1 265	0	0%	0	0%
Papua New Guinea	CPHL	17	17	17	17	0	-	0	-	0	-	92%	0	-	0	-	0	17	0	-	0	-
Philippines national lab	RITM	4 081	4 081	4 032	2 724	933	34%	63	2%	26	7	96%	1 859	0	1 885	672	1 371	1 796	95	5%	23	1%
Philippines subnational labs	-	3 101	3 101	3 087	2 398	387	16%	25	1%	53	2	99%	-	-	-	-	873	2 221	71	3%	12	1%
Viet Nam national lab (Northern)	NIHE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viet Nam national lab (Southern)	PI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viet Nam subnational lab (Central)	PI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viet Nam subnational lab (Highland)	IHE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		80 696	80 500	70 572	65 981	19 844	30%	1 246	2%	79	9	88%	1 910	21	18 637	4 884	23 057	52 121	1 454	3%	276	1%

"-" No data

¹ Percent of serology samples with results ≤4 days should be ≥80%

² Summary of laboratory test results only. Numbers of confirmed measles and rubella cases are presented in Tables 1, 2, 3, and 5

Source: National measles and rubella monthly laboratory reports to the Western Pacific Regional Office by 20 December 2025

Figure 3. Measles genotype distribution of cases with rash onset in 2024 and 2025, WHO Western Pacific Region




Table 7. Measles genotype distribution of cases with rash onset in January–December 2025, WHO Western Pacific Region

[illegible]

Source: MeaNS and measles and rubella monthly laboratory reports to the Western Pacific Regional Office by 20 December 2025
No rubella cases were genotyped in 2024 and 2025

Table 8. Completeness and timeliness of reporting, WHO Western Pacific Region, 2024–2025¹


Country/area	Epidemiologic surveillance				Laboratory surveillance			
	2024		2025		2024		2025	
	Completeness ²	Timeliness ³	Completeness ²	Timeliness ³	Completeness ²	Timeliness ³	Completeness ²	Timeliness ³
Australia	100%	100%	100%	100%	100%	92%	82%	91%
Brunei Darussalam	92%	92%	100%	91%	83%	83%	82%	73%
China, Hong Kong SAR	100%	100%	100%	100%	100%	100%	100%	100%
China, Macao SAR	100%	100%	100%	100%	100%	100%	100%	100%
Japan	100%	100%	100%	100%	100%	100%	100%	100%
New Zealand	100%	100%	100%	100%	100%	100%	100%	100%
Republic of Korea	100%	100%	100%	100%	100%	92%	100%	100%
Singapore	100%	100%	100%	100%	100%	100%	100%	100%
Pacific island countries and areas	100%	100%	100%	100%	100%	100%	100%	100%
Cambodia	100%	100%	100%	100%	100%	100%	100%	100%
China	100%	100%	100%	100%	100%	100%	100%	100%
Indonesia	-	-	100%	80%	-	-	100%	80%
Lao People's Democratic Republic	100%	100%	100%	100%	100%	100%	100%	100%
Malaysia	100%	100%	100%	100%	100%	100%	100%	100%
Mongolia	100%	100%	100%	100%	100%	100%	100%	100%
Papua New Guinea	92%	92%	100%	100%	83%	83%	100%	100%
Philippines	75%	67%	73%	45%	100%	100%	100%	91%
Viet Nam	100%	100%	36%	36%	100%	100%	36%	36%
Western Pacific Region	98%	97%	95%	92%	98%	98%	88%	85%

¹ National measles and rubella surveillance and laboratory monthly reports to the Western Pacific Regional Office by 10 December 2025

² Completeness is defined as the total number of reports WHO received by the end of the reporting month divided by the number of expected reports for the year

³ Monthly reports should be submitted by the 10th (or the next working day) of the following month; Pacific island countries and areas and China may report by the 15th (or the next working day) of the following month

Figure 4. Measles cases and immunization coverage, Western Pacific Region, 1990–2024



■ Measles cases — Measles containing vaccine first dose — Measles containing vaccine second dose

Source: WHO-UNICEF Electronic Joint Reporting Form

**Vaccine-Preventable Diseases and Immunization
Regional Office for the Western Pacific
World Health Organization**

P.O. Box 2932, 1000 Manila, Philippines
Tel. No. (63 2) 85288001

Fax No. (63 2) 85211036, 85260279

Please send your comments and monthly data before the 10th of the month to: WPROEPIdata@who.int

More detailed information available in the
Regional and country profile of measles elimination